Bathroom Faucet / Lavatory Faucet



Item#ABP130230-3C
Hybrid waterway
4 inch center
require 3 or 2 faucet hole to install
1.2 GPM flow rate at 60 psi
S.S ball valve
Metal desk and handle
Plastic bottom plate
Optional pop-up
Chrome finish
UPC & CUPC
Lead free certificated



Item#ABP130230-3OB
Hybrid waterway
4 inch center
require 3 or 2 faucet hole to install
1.2 GPM flow rate at 60 psi
S.S ball valve
Metal desk and handle
Plastic bottom plate
Optional pop-up
Oil Rubbed Bronze finish
UPC & CUPC
Lead free certificated



Item#ABP130101C
Hybrid waterway
4 inch center
require 3 or 2 faucet hole to install
1.2 GPM flow rate at 60 psi
S.S ball valve
Metal desk and acrylic handle
Plastic bottom plate
Optional pop-up
Chrome finish
UPC & CUPC
Lead free certificated



Item#ABP130230C
Hybrid waterway
4 inch center
require 3 or 2 faucet hole to install
1.2 GPM flow rate at 60 psi
S.S ball valve
Metal desk and handle
Plastic bottom plate
Optional pop-up
Chrome finish
UPC & CUPC
Lead free certificated



Item#ABM140101C
Hybrid waterway
4 inch center
require 3 or 2 faucet hole to install
1.2 GPM flow rate at 60 psi
1/4 turn washerless cartridge
Metal desk and acrylic handle
Plastic bottom plate
Optional pop-up
Chrome finish
UPC & CUPC

Lead free certificated



Item#ABM140133C
Hybrid waterway
4 inch center
require 3 or 2 faucet hole to install
1.2 GPM flow rate at 60 psi
1/4 turn washerless cartridge
Metal desk and ABS handle lever
Plastic bottom plate
Optional pop-up
Chrome finish
UPC & CUPC
Lead free certificated



Item#ABM140202C
Hybrid waterway
4 inch center
require 3 or 2 faucet hole to install
1.2 GPM flow rate at 60 psi
1/4 turn washerless cartridge
Metal desk and ABS handle
Plastic bottom plate
Optional pop-up
Chrome finish
UPC & CUPC
Lead free certificated



Item#ABM140119SN
Hybrid waterway
4 inch center
require 3 or 2 faucet hole to install
1.2 GPM flow rate at 60 psi
1/4 turn washerless cartridge
Metal desk and ABS handle
Plastic bottom plate
Optional pop-up
Satin nickle finish
UPC & CUPC
Lead free certificated



Item#ABM140360C
Hybrid waterway
4 inch center
require 3 or 2 faucet hole to install
1.2 GPM flow rate at 60 psi
1/4 turn washerless cartridge
Metal desk and handle
Plastic bottom plate
Optional pop-up
Chrome finish
UPC & CUPC
Lead free certificated



Item#ABM140360-1SN
Hybrid waterway
4 inch center
require 3 or 2 faucet hole to install
1.2 GPM flow rate at 60 psi
1/4 turn washerless cartridge
Metal desk and handle
Plastic bottom plate
Optional pop-up
Satin nickle finish
UPC & CUPC
Lead free certificated



Item#ABM140360OB
Hybrid waterway
4 inch center
require 3 or 2 faucet hole to install
1.2 GPM flow rate at 60 psi
1/4 turn washerless cartridge
Metal desk and handle
Plastic bottom plate
Optional pop-up
Oil Rubbed Bronze finish
UPC & CUPC
Lead free certificated



Item#ABM120255AB
Hybrid waterway
4 inch center
require 3 or 2 faucet hole to install
1.2 GPM flow rate at 60 psi
1/4 turn washerless cartridge
Metal desk and handle
Optional pop-up
Antique brass finish
UPC & CUPC
Lead free certificated

www.theco.com.tw theco@ms38.hinet.net

Bathroom Faucet / Lavatory Faucet





Lead free certificated



Item#ABM121255-1SN Hybrid waterway 4 inch center require 3 or 2 faucet hole to install 1.2 GPM flow rate at 60 psi 1/4 turn washerless cartridge Metal desk and handle Optional pop-up Satin nickle finish UPC & CUPC Lead free certificated



Item#ABM120040OB Hybrid waterway 4 inch center require 3 or 2 faucet hole to install 1.2 GPM flow rate at 60 psi 1/4 turn washerless cartridge Metal desk and handle Optional pop-up Oil Rubbed Bronze finish UPC & CUPC Lead free certificated



Item#ABM124260-2OB Hybrid waterway 4 inch center require 3 or 2 faucet hole to install 1.2 GPM flow rate at 60 psi 1/4 turn washerless cartridge Metal desk and handle Optional pop-up Oil Rubbed Bronze finish UPC & CUPC Lead free certificated



Item#ABM125360-1SN Hybrid waterway 4 inch center require 3 or 2 faucet hole to install 1.2 GPM flow rate at 60 psi 1/4 turn washerless cartridge Metal desk and handle Optional pop-up Satin nickle finish UPC & CUPC Lead free certificated



Item#AB124360-2C Brass waterway with S.S supply lines 8 inch center require 3 faucet hole to install 1.2 GPM flow rate at 60 psi 1/4 turn washerless cartridge Metal desk and handle Optional with or without pop-up Chrome finish UPC & CUPC Lead free certificated



Item#AB125340C Brass waterway with S.S supply lines 8 inch center require 3 faucet hole to install 1.2 GPM flow rate at 60 psi 1/4 turn washerless cartridge Metal desk and handle Optional with or without pop-up Chrome finish UPC & CUPC Lead free certificated



Item#ABM121341-10B Hybrid waterway 1.2 GPM flow rate at 60 psi 1/4 turn washerless cartridge Metal desk and handle Optional with or without pop-up Oil Rubbed Bronze finish UPC & CUPC Lead free certificated

Kitchen Faucet



Item#ABP170241-1C-S
Hybrid waterway
8 inch center
require 3 or 4 faucet hole to install
1.8 GPM flow rate at 60 psi
S.S ball valve
Metal desk and handle
Optional with or without spray
Chrome finish
UPC & CUPC
Lead free certificated



Item#AB270241-1C
Brass waterway
8 inch center
require 3 or 4 faucet hole to install
1.8 GPM flow rate at 60 psi
Ceramic disc valve
Metal desk and handle
Optional with or without spray
Chrome finish
UPC & CUPC
Lead free certificated



Item#ABP170121C
Hybrid waterway
8 inch center
require 3 or 4 faucet hole to install
1.8 GPM flow rate at 60 psi
S.S ball valve
Metal desk and handle
Optional with or without spray
Chrome finish
UPC & CUPC
Lead free certificated



Item#ABP170122OB-S
Hybrid waterway
8 inch center
require 3 or 4 faucet hole to install
1.8 GPM flow rate at 60 psi
S.S ball valve
Metal desk and handle
Optional with or without spray
Oil Rubbed Bronze finish
UPC & CUPC
Lead free certificated



Item#ABP170124C-S
Hybrid waterway
8 inch center
require 3 faucet hole to install
1.8 GPM flow rate at 60 psi
S.S ball valve
Metal desk and handle
Optional with or without spray
Chrome finish
UPC & CUPC
Lead free certificated



Item#AB190042C
Brass waterway with S.S supply lines
Pull-out spray
require 1 faucet hole to install
1.8 GPM flow rate at 60 psi
S.S ball valve
Metal desk and handle
ABS spray
Chrome finish
UPC & CUPC
Lead free certificated



Item#AB190142C
Brass waterway with S.S supply lines
Pull-out spray
require 3 faucet hole to install
1.8 GPM flow rate at 60 psi
S.S ball valve
Metal desk and handle
ABS spray
Chrome finish
UPC & CUPC
Lead free certificated



Item#AB290041C
Brass waterway with S.S supply lines
Pull-out spray
require 1 faucet hole to install
1.8 GPM flow rate at 60 psi
Ceramic disc valve
Metal desk and handle
ABS spray
Chrome finish
UPC & CUPC
Lead free certificated



Item#AB290141C
Brass waterway with S.S supply lines
Pull-out spray
require 1 faucet hole to install
1.8 GPM flow rate at 60 psi
Ceramic disc valve
Metal desk and handle
ABS spray
Chrome finish
UPC & CUPC
Lead free certificated



Item#ABM180201C
Hybrid waterway
8 inch center
require 3 or 4 faucet hole to install
1.8 GPM flow rate at 60 psi
1/4 turn washerless cartridge
Metal desk and Acrylic handle
Optional with or without spray
Chrome finish
UPC & CUPC
Lead free certificated



Item#ABM180202C
Hybrid waterway
8 inch center
require 3 or 4 faucet hole to install
1.8 GPM flow rate at 60 psi
1/4 turn washerless cartridge
Metal desk and ABS handle
Optional with or without spray
Chrome finish
UPC
Lead free certificated



Item#ABM180260C
Hybrid waterway
8 inch center
require 3 or 4 faucet hole to install
1.8 GPM flow rate at 60 psi
1/4 turn washerless cartridge
Metal desk and ABS handle
Optional with or without spray
Chrome finish
UPC & CUPC
Lead free certificated

Kitchen Faucet



Item#ABP18434OC-S
Hybrid waterway
8 inch center
require 3 or 4 faucet hole to install
1.8 GPM flow rate at 60 psi
1/4 turn washerless cartridge
Metal desk and handle
Optional with or without spray
Chrome finish
UPC & CUPC
Lead free certificated



Item#ABP184260C-S
Hybrid waterway
8 inch center
require 3 or 4 faucet hole to install
1.8 GPM flow rate at 60 psi
1/4 turn washerless cartridge
Metal desk and handle
Optional with or without spray
Chrome finish
UPC & CUPC
Lead free certificated



Item#ABP184260-1SN-S
Hybrid waterway
8 inch center
require 3 or 4 faucet hole to install
1.8 GPM flow rate at 60 psi
1/4 turn washerless cartridge
Metal desk and handle
Optional with or without spray
Satin nickle finish
UPC & CUPC
Lead free certificated



Item#ABP184241-10B-S
Hybrid waterway
8 inch center
require 3 or 4 faucet hole to install
1.8 GPM flow rate at 60 psi
1.4 turn washerless cartridge
Metal desk and handle
Optional with or without spray
Oil Rubbed Bronze finish
UPC & CUPC
Lead free certificated



Item#ABM182360-2OB-S
Hybrid waterway
8 inch center
require 3 or 4 faucet hole to install
1.8 GPM flow rate at 60 psi
1/4 turn washerless cartridge
Metal desk and handle
Optional with or without spray
Oil Rubbed Bronze finish
UPC & CUPC
Lead free certificated



Item#ABM183131C-S
Hybrid waterway
8 inch ceater
require 3 or 4 faucet hole to install
1.8 GPM flow rate at 60 psi
1/4 turn washerless cartridge
Metal desk and ABS handle lever
Optional with or without spray
Chrome finish
UPC & CUPC
Lead free certificated



Item#ABM183119SN-S
Hybrid waterway
8 inch center
require 3 or 4 faucet hole to install
1.8 GPM flow rate at 60 psi
1/4 turn washerless cartridge
Metal desk and handle
Optional with or without spray
Satin nickle finish
UPC & CUPC
Lead free certificated



Item#AB183125SN-S
Brass waterway
8 inch center
require 3 or 4 faucet hole to install
1.8 GPM flow rate at 60 psi
S.S ball valve
Metal desk and handle
Soap dispenser included
Optional with or without spray
Satin nickle finish
UPC & CUPC
Lead free certificated



Item#ABP180101C
Hybrid waterway
8 inch center
require 3 or 4 faucet hole to install
1.8 GPM flow rate at 60 psi
1/4 turn washerless cartridge
Metal desk and Acrylic handle lever
Optional with or without spray
Chrome finish
UPC & CUPC
Lead free certificated



Item#ABM180131C-S
Hybrid waterway
8 inch center
require 3 or 4 faucet hole to install
1.8 GPM flow rate at 60 psi
1/4 turn washerless cartridge
Metal desk and ABS handle lever
Optional with or without spray
Chrome finish
UPC & CUPC
Lead free certificated

Tub & Shower Faucet



Item#261P025SN
Brass waterway
Pressure Balance Valve
2.2 GPM flow rate at 60 psi
Ceramic disc valve
Metal desk and handle
ABS Shower head
Satin nickle finish
UPC & CUPC



Item#261P040C
Brass waterway
Pressure Balance Valve
2.2 GPM flow rate at 60 psi
Ceramic disc valve
Metal desk and handle
ABS Shower head
Chrome finish
UPC & CUPC



Item#162001C
Brass waterway
2.2 GPM flow rate at 60 psi
1/4 turn washerless cartridge
Metal desk and Acrylic handle
ABS Shower head
Chrome finish
UPC & CUPC



Item#161001C
Brass waterway
2.2 GPM flow rate at 60 psi
S.S ball valve
Metal desk and Acrylic handle
ABS Shower head
Satin nickle finish
UPC & CUPC



Item#163001C
Brass waterway
2.2 GPM flow rate at 60 psi
1/4 turn washerless cartridge
Metal desk and Acrylic handle
ABS Shower head
Chrome finish
UPC & CUPC



Item#162033C
Brass waterway
2.2 GPM flow rate at 60 psi
1/4 turn washerless cartridge
Metal desk and ABS handle lever
ABS Shower head
Chrome finish
UPC & CUPC

Bar & Laundry Faucet



Item#AB129001C
Hybrid waterway
Laundry faucet
4 inch center
require 2 faucet hole to install
2.2 GPM flow rate at 60 psi
1/4 turn washerless cartridge
Metal desk and Acrylic handle
Chrome finish
UPC & CUPC
Lead free certificated



Item#ABM127419C
Hybrid waterway
Bar faucet
4 inch center
require 3 or 2 faucet hole to install
1.2 GPM flow rate at 60 psi
1/4 turn washerless cartridge
Metal desk and handle
Chrome finish
UPC & CUPC
Lead free certificated



Item#ABM127201C
Hybrid waterway
Bar faucet
4 inch center
require 3 or 2 faucet hole to install
1.2 GPM flow rate at 60 psi
1/4 turn washerless cartridge
Metal desk and Acrylic handle
Chrome finish
UPC & CUPC
Lead free certificated

Non-metalic Faucet



Item# PL140101C
ABS waterway
4 inch center
require 3 or 2 faucet hole to install
1.2 GPM flow rate at 60 psi
1/4 turn washerless cartridge
ABS desk and Acrylic handle
Optional pop-up
Chrome finish
UPC & CUPC
Lead free certificated



Item# PL140133C
ABS waterway
4 inch center
require 3 or 2 faucet hole to install
1.2 GPM flow rate at 60 psi
1/4 turn washerless cartridge
ABS desk and handle
Optional pop-up
Chrome finish
UPC & CUPC
Lead free certificated



Item# PL140103C
ABS waterway
4 inch center
require 3 or 2 faucet hole to install
1.2 GPM flow rate at 60 psi
1/4 turn washerless cartridge
ABS desk and handle
Optional pop-up
Chrome finish
UPC & CUPC
Lead free certificated



Item# PL130101C
ABS waterway
4 inch center
require 3 or 2 faucet hole to install
1.2 GPM flow rate at 60 psi
Washerless cartridge
ABS desk and handle
Optional pop-up
Chrome finish
UPC & CUPC
Lead free certificated